



**Large-area ceiling and wall luminaires**  
Unshielded

A series of large scale ceiling and wall-mounted luminaires in round, square, and rectangular shapes. The large scale and high output of this group of luminaires unlock new and creative options for lighting design in many areas of architecture. A matte white synthetic diffuser distributes light uniformly onto the illuminated surface.


Die-cast aluminum · Synthetic diffuser with white light-diffusing matte finish

LED color temperatures: 2700K, 3000K, 3500K, 4000K


BEGA luminaires offer a minimum service life of 60,000 hours, with suitable LED replacement modules guaranteed for up to 20 years after date of purchase. Further LED technical data including luminous flux, CRI, dimming and electrical characteristics are provided on the individual luminaire specification sheets, available at [www.bega-us.com](http://www.bega-us.com)

All BEGA standard finishes are matte, textured powder coat with minimum 3 mil thickness. BEGA Unidure® finish, a fluoropolymer technology, provides superior fade protection in Black, Bronze, and Silver. BEGA standard White, as well as optionally available RAL and custom colors, are a polyester powder.

NRTL listed to North American standards · Suitable for wet locations  
Protection class IP 65



Round			
	LED	A	B
<b>24 230</b>	48.4 W	26 3/4"	4 3/4"
<b>24 231</b>	117.6 W	36 1/2"	5"



Square and rectangular				
	LED	A	B	C
<b>33 311</b> ADA	53.8 W	24 3/4"	24 3/4"	2 1/8"
<b>33 312</b> ADA	102.6 W	13 1/4"	60 1/2"	2 1/8"